

AD657597

AD



MONTHLY
MICROCLIMATIC SUMMARY

MARCH 1967

ENVIRONMENTAL DATA BASE
FOR REGIONAL STUDIES IN THE HUMID TROPICS

USATECOM Project No. 9-4-0013-01


US ARMY
TROPIC TEST CENTER
Fort Clayton, Canal Zone

Sponsored by

Advanced Research Projects Agency, ARPA Order No. 740
Army Research Office, OCRD, Project No. 2M025001A724 01

Reproduced by the
CLEARINGHOUSE
for Federal Scientific & Technical
Information Springfield Va. 22151

This report has been approved
for public release and sale; its
distribution is unlimited.



ENVIRONMENTAL DATA BASE
FOR REGIONAL STUDIES IN THE HUMID TROPICS

MONTHLY
MICROCLIMATIC SUMMARY

MARCH 1967

Prepared by

Michael A. Fradel, Project Officer
and
Dr. Wilfried H. Portig, Meteorologist

USATECOM Project No. 9-4-0013-01

This research was supported by the Advanced
Research Projects Agency of the Department
of Defense and by the Army Research Office,
OCD, Department of Army

Conducted by

US Army
Tropic Test Center
Fort Clayton, Canal Zone
with contractual services provided by
Weather Engineers of Panama Corp.

TABLE OF CONTENTS

	<u>Page</u>
Introduction	1
Sites.	1
Instrumentation.	1
Data Reduction and Storage	2
 Figures	
1. Location Map, Isthmus of Panama.	3
2. Frequency of Observations.	4
3. Albrook Forest Site, Generalized Plot.	5
4. Chiva Chiva Open Site, Generalized Plot.	6
5. Instrument Location on Towers.	7
 Data Summary Sheets	
Monthly Means of Air Temperature by Hour	8
Monthly Ranges of Air Temperature by Hour.	9
Monthly Means of Relative Humidity by Hour	10
Monthly Ranges of Relative Humidity by Hour.	11
Monthly Means of Other Elements by Hour.	12
Monthly Means of Soil Surface Temperature by Hour	
Monthly Means of Wet Bulb Temperature by Hour	
Monthly Means of Barometric Pressure by Hour	
Monthly Means of Precipitation by Hour	
Monthly Totals of Precipitation	
Monthly Ranges of Other Elements by Hour.	13
Monthly Ranges of Soil Surface Temperature by Hour	
Monthly Ranges of Wet Bulb Temperature by Hour	
Monthly Ranges of Barometric Pressure by Hour	
Monthly Ranges of Precipitation by Hour	
Monthly Means of Wind Speed by Hour.	14
Monthly Ranges of Wind Speed by Hour	15
Relative Frequencies of Wind Directions (46 meters, Albrook)	16
Relative Frequencies of Wind Directions (26.5 meters, Albrook)	17
Relative Frequencies of Wind Directions (4 meters, Albrook)	18
Relative Frequencies of Wind Directions (46 meters, Chiva Chiva)	19
Relative Frequencies of Wind Directions (26.5 meters, Chiva Chiva)	20
Relative Frequencies of Wind Directions (4 meters, Chiva Chiva)	21
Summary of Elements with Non-Hourly Frequencies of Observation.	22
WBG (Albrook)	
Evaporation (Albrook)	
Precipitation (Manual gauge network, Albrook)	
Precipitation (Stem Flow, Albrook)	
WBG (Chiva Chiva)	

TABLE OF CONTENTS (cont'd)

Minimum Grass Temperature (Chiva Chiva)
Maximum Temperature (Albrook satellite)
Minimum Temperature (Albrook satellite)
Maximum Relative Humidity (Albrook satellite)
Minimum Relative Humidity (Albrook satellite)
Precipitation (Albrook satellite)
Maximum Temperature (Fort Kobbe satellite)
Minimum Temperature (Fort Kobbe satellite)
Maximum Relative Humidity (Fort Kobbe satellite)
Minimum Relative Humidity (Fort Kobbe satellite)
Precipitation (Fort Kobbe satellite)
Maximum Temperature (Fort Sherman satellite)
Minimum Temperature (Fort Sherman satellite)
Maximum Relative Humidity (Fort Sherman satellite)
Precipitation (Fort Sherman satellite)

MONTHLY MICROCLIMATIC SUMMARY

Introduction

Monthly microclimatic data summarized in this series of reports were collected by the US Army Tropic Test Center and the Weather Engineers of Panama Corporation under the project, Environmental Data Base for Regional Studies in the Humid Tropics. The project is sponsored by the Advanced Research Projects Agency of the Department of Defense and by the Army Research Office, Office of the Chief of Research and Development. It is an investigation of microclimatic, air chemistry, vegetation, soils, microbiological, and macrofaunal conditions at selected sites in the principal tropical environments of the Panama Canal Zone and the Rio Hato Military Reservation. The objective of the project is to assemble quantitative environmental data for RDT&E purposes.

Sites. Data summarized in this report were collected at the Albrook Forest and Chiva Chiva sites. Figure 1 shows the site locations within the Isthmus of Panama. Geographic coordinates are shown below:

Albrook Forest	09° 01'N, 79° 33'W
Chiva Chiva	09° 01'N, 79° 35'W
Fort Kobbe (satellite)	08° 54'N, 79° 34'W
Fort Sherman (satellite)	09° 16'N, 79° 59'W
Albrook (satellite)	09 00'N, 79° 33'W

The Chiva Chiva open site and the Albrook Forest site are paired for comparative study of environmental conditions in a tropical semideciduous forest and in a large clearing. Both are located in a region where the annual precipitation is approximately 80 inches and there is a pronounced dry season. The other satellite sites were located primarily for soil studies purposes. Albrook and Fort Kobbe have climatic regimes similar to the principal sites.

The Albrook and Chiva Chiva main sites are approximately four kilometers apart. Each has a 46-meter walk-up tower and an air-conditioned building to house the recording equipment and observers. Both sites are approximately 30 meters above sea level. The top of the forest canopy at the Albrook site is about 26.5 meters above the ground.

Instrumentation. A wide range of climatic elements are measured at the Albrook and Chiva Chiva sites. Types of observations and frequencies are shown on Figure 2. The towers at the Albrook and Chiva Chiva sites are similarly oriented. Sensing equipment is mounted at several levels on the towers to provide measurements through the vertical profile. Additional instruments are emplaced in the immediate vicinity on or near the ground.

All instrument exposures are duplicated at each site. Figures 3, 4, and 5 show the instrument array at these sites.

Data Reduction and Storage. All data, as applicable, are recorded at or reduced to each full hour and transposed to punch cards. These punch cards, together with all raw data, are stored in the Tropic Test Center Technical Library Annex.




FIGURE 1.
LOCATION MAP, ISTHMUS OF PANAMA

FIGURE 2. FREQUENCY OF OBSERVATIONS

Element	Site	Height (meters)						Frequency
		0.5	1.0	2.0	4.0	8.0	13.5	
Temperature:								
Dry Bulb	2	2	1	2	2	2	2	2
Wet Bulb	-	2	-	2	2	-	-	-
Glass Minimum	4	-	-	-	-	-	-	-
WBT Index	-	-	2	-	-	-	-	-
Relative Humidity	-	2	1	2	2	2	2	2
Barometric Pressure	-	-	2	-	-	-	-	-
Evaporation	2	-	-	-	-	-	-	3
Precipitation:								
Recording Gage	-	-	1	-	-	-	-	3
Manual Gage	-	-	3	-	-	-	-	-
Stem Flow	-	-	3	-	-	-	-	-
Wind:								
Direction	-	-	-	-	5	-	-	2
Speed	-	-	-	2**	5	-	2**	2
								Hourly**/Continuously

* Observation made with sling psychrometer when recorders are imperative.

** hourly.

Instrument descriptions are contained in the Environmental Data Base semiannual reports.

1. All sites
2. Albrook and Chiva Chiva
3. Albrook only
4. Chiva Chiva only
5. Main sites




FIGURE 3.
ALBROOK FOREST SITE, GENERALIZED PLOT




FIGURE 5.
INSTRUMENT LOCATION ON TOWERS

SUMMARY OF METEOROLOGICAL OBSERVATIONS

HOURLY DATA

MARCH 1967

Exposure	Monthly Means of Air Temperature by Hour (°F)																								Monthly Summary					
	Site	Level																									No. of Obs.	M'	Mean	Max.
			01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24				
Altbrook (Forest site)	46.0 m		74.3	74.6	73.8	73.5	73.3	73.1	74.0	76.8	80.5	92.5	84.4	85.4	85.5	84.8	84.4	84.0	82.7	79.9	77.8	76.7	75.8	75.3	75.0	74.6	744	69.6	3.4	89.3
	28.5 m		74.0	73.6	73.3	73.0	72.9	72.4	74.1	77.9	81.2	83.2	84.5	85.5	85.7	85.1	85.0	84.6	83.6	80.3	77.5	76.3	75.5	74.9	74.5	73.8	744	67.6	78	90.3
	26.5 m		73.8	73.5	73.2	72.9	72.7	72.7	73.7	77.5	81.3	83.8	85.3	86.4	86.4	86.1	85.9	85.0	83.6	80.1	77.3	76.1	75.2	74.8	74.5	73.8	744	68.2	78.6	95.3
	13.5 m		73.1	72.6	72.2	72.1	71.9	71.6	72.3	75.8	81.4	82.6	84.1	84.6	85.0	84.1	83.7	83.0	82.6	79.4	77.0	75.6	74.8	74.1	73.6	73.1	744	67.2	77.5	88.3
	8.0 m		72.4	72.0	71.6	71.3	71.2	71.1	72.0	75.1	79.5	82.3	84.8	85.5	85.2	84.6	84.3	83.4	82.2	79.7	77.1	75.5	74.6	73.6	73.1	72.6	742	66.2	77.3	89.7
	4.0 m		71.9	71.5	71.1	70.9	70.5	70.4	71.3	75.4	79.7	83.2	85.2	86.0	85.7	85.0	84.4	83.7	82.0	79.3	76.5	75.0	74.0	73.1	72.7	72.2	737	65.7	77.1	89.9
	2.0 m		71.8	71.4	71.1	70.9	70.5	70.4	71.1	74.8	79.4	82.9	85.0	85.9	85.5	85.1	84.5	83.5	81.9	79.2	76.5	74.8	73.9	73.1	72.6	72.1	737	65.7	76.9	89.6
	1.0 m		71.9	71.4	71.1	70.9	70.6	70.2	71.0	74.6	80.7	83.3	85.1	86.0	86.3	85.8	85.4	84.1	82.6	79.6	76.9	75.6	74.4	73.5	72.8	72.3	744	66.3	77.3	91.0
	0.5 m		72.4	72.0	71.6	71.4	71.1	71.0	71.1	73.7	77.9	81.7	84.7	85.5	85.8	85.1	84.4	83.8	82.5	80.1	77.5	75.9	74.8	73.9	73.2	72.8	744	67.6	77.2	89.7

46.0 m	74.3	74.1	73.9	73.6	73.3	73.0	73.4	75.8	79.6	81.9	84.1	85.1	85.6	85.4	84.6	84.1	82.3	80.5	78.0	77.0	75.9	75.4	74.9	74.7	744	69.7	78.3	88.1
28.5 m							This level was not instrumented for air temperature at this time																					
26.5 m	74.4	74.1	73.7	73.5	73.1	72.8	73.2	75.9	79.8	82.0	84.2	85.1	85.6	85.6	84.8	84.4	82.6	80.7	78.4	77.3	76.2	75.7	75.1	74.8	738	70.0	78.4	88.7
13.5 m	74.0	73.6	73.3	73.0	72.5	72.1	72.5	75.7	79.9	82.4	84.5	85.5	86.1	86.1	85.2	84.5	82.8	80.6	78.2	77.1	75.9	75.4	74.8	74.4	741	67.9	78.2	89.3
8.0 m							This level was not instrumented for air temperature at this time																					
4.0 m	73.5	72.9	72.6	72.0	71.8	71.2	72.6	77.9	81.8	84.1	86.2	87.3	87.9	87.2	86.7	85.6	83.8	80.8	78.1	76.8	75.6	74.8	74.5	73.8	743	66.5	78.7	90.9
2.0 m	73.2	72.7	72.5	71.7	71.5	70.9	72.5	78.3	82.4	84.7	86.9	87.9	88.4	87.9	87.2	86.1	84.0	80.9	78.1	76.8	75.6	74.7	74.2	73.6	742	65.6	78.8	91.9
1.0 m	72.8	72.4	72.1	71.5	71.0	70.2	72.7	79.8	83.9	87.0	89.2	90.7	90.9	90.3	89.1	87.6	85.1	81.3	78.1	76.8	75.5	74.6	74.0	73.4	744	64.0	79.5	95.5
0.5 m	72.8	72.3	72.1	71.5	71.2	70.6	72.2	79.4	84.7	87.8	90.4	91.2	91.3	89.4	87.8	86.8	84.1	80.5	77.2	75.9	74.8	74.1	73.5	73.1	744	66.3	79.3	95.6

SUMMARY OF METEOROLOGICAL OBSERVATIONS

HOURLY DATA

MARCH 1967

Exposure	Monthly Ranges of Air Temperature by Hour (°F)																								Monthly Summary *		
	Site	Level	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22		23	24
Albrook (Forest site)		46.0 m	4.6	4.5	5.0	4.8	5.2	5.6	7.0	6.4	4.9	5.3	5.1	11.7	10.0	16.6	14.7	7.3	7.4	7.7	4.1	3.4	3.8	3.8	4.2	4.4	
		28.5 m	8.4	9.1	6.0	7.9	7.0	7.9	9.3	7.2	6.0	5.7	7.9	11.8	9.6	19.7	15.7	10.2	10.8	7.7	7.2	4.7	4.2	6.2	4.9	6.9	
		26.5 m	5.6	5.2	5.8	7.8	6.6	7.0	10.1	7.5	6.7	7.8	7.7	14.1	12.6	22.8	21.6	13.8	10.6	7.6	6.1	3.1	4.8	5.7	5.1	6.3	
		13.5 m	9.2	9.0	7.6	8.0	7.3	7.7	7.9	4.6	6.0	6.6	6.4	13.1	9.9	17.3	14.3	9.7	9.7	6.4	7.0	4.9	4.9	5.8	6.5	7.1	
		8.0 m	10.1	9.9	8.2	8.9	7.9	9.4	12.6	6.1	3.6	5.4	6.4	14.2	9.8	19.2	15.5	11.2	8.9	6.7	7.0	5.7	5.4	6.3	7.5	7.9	
		4.0 m	8.0	8.7	8.8	7.9	8.3	8.6	8.7	5.3	4.5	5.5	DTF	DTF	DTF	DTF	16.0	11.7	9.4	7.7	7.3	6.9	5.8	6.9	7.9	8.3	
		2.0 m	8.0	8.8	8.8	8.0	7.8	DTF	8.6	5.6	3.9	5.5	DTF	DTF	DTF	DTF	16.7	11.5	9.7	8.0	7.3	7.2	6.3	6.7	7.9	8.2	
		1.9 m	6.4	6.1	5.7	5.0	6.4	7.7	8.4	4.9	8.0	7.9	5.6	14.9	11.5	19.5	17.2	11.7	10.6	9.1	8.2	6.8	6.0	5.0	5.3	5.9	
		0.5 m	6.8	6.9	6.9	6.4	6.6	7.5	6.8	4.9	3.5	4.8	6.0	12.9	12.5	15.3	17.6	10.9	9.5	8.9	7.6	8.6	5.9	5.7	5.8	6.4	

Note: DTF, indicates date of doubtful validity.

* No monthly summary was computed for the ranges.

Albrook (Open site)	46.0 m	4.8	5.6	5.5	5.7	5.6	6.1	6.8	5.7	5.6	5.5	4.2	10.4	9.9	9.0	10.7	6.5	5.4	5.1	4.5	3.7	3.5	3.0	3.7	3.8			
	28.5 m								This level was not instrumented for air temperature at this time																			
	25.5 m	4.7	5.3	6.4	6.2	5.7	6.1	6.8	6.5	5.6	5.7	5.1	9.9	5.4	9.5	10.6	7.1	6.7	6.9	4.4	4.8	3.8	2.9	3.3	4.7			
	13.5 m	6.4	7.1	7.0	6.6	6.6	8.1	8.2	8.7	4.7	5.7	5.1	10.5	9.4	10.1	11.9	7.3	6.0	6.5	4.6	3.8	3.6	4.4	4.8	6.6			
	8.0 m								This level was not instrumented for air temperature at this time																			
	4.0 m	8.4	9.2	8.5	7.6	8.4	9.9	9.3	4.3	6.5	5.1	5.6	11.3	10.9	11.2	9.1	8.7	6.2	5.6	4.3	3.3	3.3	6.1	7.0	8.4			
	2.0 m	9.2	9.7	8.2	8.3	8.0	10.6	10.1	5.6	5.9	5.0	7.1	11.9	11.4	10.9	9.3	8.6	6.4	5.6	4.7	2.5	3.2	6.2	7.1	9.4			
	1.0 m	8.8	9.8	8.4	8.1	8.1	12.7	10.2	7.5	7.6	9.0	12.2	15.0	14.5	12.0	11.3	10.4	7.4	6.0	5.0	2.9	3.6	4.9	6.9	8.0			
	0.5 m	7.9	8.1	6.7	5.3	6.9	8.5	8.2	5.8	5.6	7.7	11.8	15.9	14.0	14.3	13.6	7.4	6.8	5.1	3.9	3.0	3.2	3.7	5.8	7.3			
	the ranges.																											

SUMMARY OF METEOROLOGICAL OBSERVATIONS

HOURLY DATA

MARCH 1967

Exposure	Monthly Means of Relative Humidity by Hour																								Monthly Summary																						
	Site	Level	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No. of Obs.	Min.	Mean	Max.																	
Albrook (Forest site)	46.0 m		83.0	84.0	85.0	85.0	86.0	86.0	81.0	69.0	62.0	56.0	54.0	54.0	56.0	58.0	59.0	66.0	72.0	75.0	78.0	80.0	82.0	82.0	82.0	744	40.0	72.0	93.0																		
	28.5 m		This level was not instrumented for relative humidity at this time																																												
	26.5 m		84.0	84.0	84.0	84.0	84.0	83.0	80.0	68.0	61.0	56.0	55.0	55.0	56.0	57.0	59.0	60.0	67.0	75.0	79.0	81.0	82.0	83.0	83.0	742	43.0	73.0	93.0																		
	13.5 m		88.0	88.0	88.0	89.0	89.0	90.0	90.0	86.0	73.0	63.0	58.0	55.0	56.0	58.0	60.0	61.0	65.0	73.0	79.0	82.0	84.0	86.0	85.0	741	42.0	75.0	94.0																		
	8.0 m		This level was not instrumented for relative humidity at this time																																												
	4.0 m		92.0	92.0	93.0	93.0	94.0	94.0	93.0	85.0	72.0	63.0	58.0	55.0	58.0	60.0	62.0	62.0	64.0	70.0	77.0	82.0	85.0	88.0	89.0	90.0	738	37.0	78.0	100.0																	
	2.0 m		92.0	93.0	93.0	94.0	94.0	95.0	94.0	88.0	73.0	65.0	59.0	56.0	59.0	60.0	62.0	64.0	65.0	72.0	78.0	83.0	86.0	88.0	90.0	91.0	738	39.0	79.0	100.0																	
	1.0 m		91.0	92.0	92.0	93.0	94.0	94.0	94.0	91.0	77.0	68.0	60.0	58.0	59.0	61.0	62.0	64.0	66.0	72.0	78.0	81.0	84.0	87.0	89.0	90.0	742	43.0	79.0	98.0																	
0.5 m		91.0	92.0	93.0	92.0	94.0	94.0	93.0	90.0	79.0	69.0	61.0	59.0	59.0	60.0	62.0	64.0	65.0	71.0	77.0	81.0	84.0	86.0	89.0	90.0	744	42.0	79.0	99.0																		

10

46.0 m	82.0	82.0	82.0	82.0	83.0	83.0	83.0	83.0	83.0	79.0	70.0	62.0	57.0	54.0	53.0	55.0	56.0	58.0	64.0	69.0	75.0	78.0	80.0	81.0	82.0	744	43.0	70.0	93.0
28.5 m	This level was not instrumented for relative humidity at this time																												
26.5 m	80.0	81.0	80.0	81.0	81.0	81.0	81.0	81.0	81.0	77.0	58.0	60.0	56.0	52.0	52.0	54.0	55.0	58.0	64.0	70.0	75.0	78.0	80.0	80.0	80.0	741	40.0	59.0	81.0
13.5 m	80.0	81.0	80.0	81.0	81.0	81.0	81.0	81.0	81.0	76.0	58.0	60.0	55.0	52.0	51.0	54.0	53.0	58.0	63.0	70.0	75.0	79.0	80.0	80.0	80.0	744	39.0	59.0	96.0
8.0 m	This level was not instrumented for relative humidity at this time																												
4.0 m	84.0	86.0	87.0	88.0	89.0	90.0	88.0	75.0	64.0	57.0	52.0	49.0	49.0	50.0	52.0	53.0	57.0	63.0	70.0	75.0	78.0	81.0	82.0	84.0	743	35.0	71.0	100.0	
2.0 m	85.0	87.0	87.0	89.0	89.0	90.0	91.0	89.0	75.0	64.0	57.0	52.0	50.0	50.0	51.0	52.0	54.0	58.0	64.0	71.0	75.0	79.0	81.0	83.0	84.0	742	35.0	71.0	98.0
1.0 m	84.0	84.0	83.0	84.0	84.0	84.0	84.0	75.0	66.0	57.0	52.0	49.0	48.0	48.0	51.0	51.0	56.0	64.0	71.0	77.0	81.0	83.0	83.0	83.0	744	35.0	70.0	84.0	
0.5 m	86.0	87.0	88.0	88.0	89.0	90.0	89.0	73.0	61.0	54.0	49.0	46.0	46.0	50.0	52.0	53.0	58.0	65.0	73.0	78.0	81.0	83.0	85.0	86.0	744	34.0	71.0	98.0	
Chiva (Chiva (Open site))																													

11-10-67

SUMMARY OF METEOROLOGICAL OBSERVATIONS

HOURLY DATA

MARCH 1967

Exposure		Monthly Ranges of Relative Humidity by Hour (%)																								Monthly Summary *	
		Site	Level	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22		23
Albrook (Forest site)	45.0 m	8.0	8.0	7.0	7.0	13.0	12.0	5.0	13.0	21.0	18.0	18.0	24.0	28.0	38.0	44.0	34.0	40.0	34.0	19.0	12.0	10.0	9.0	13.0	9.0		
	28.5 m							This level was not instrumented for relative humidity at this time																			
	26.5 m	8.0	7.0	5.0	5.0	4.0	3.0	5.0	12.0	14.0	16.0	15.0	26.0	25.0	50.0	50.0	33.0	36.0	37.0	20.0	11.0	7.0	7.0	9.0	5.0		
	13.5 m	11.0	11.0	9.0	10.0	20.0	8.0	9.0	13.0	23.0	20.0	19.0	25.0	29.0	49.0	49.0	39.0	40.0	41.0	32.0	20.0	12.0	10.0	11.0	12.0		
	9.0 m							This level was not instrumented for relative humidity at this time																			
	4.0 m	19.0	15.0	18.0	20.0	16.0	13.0	19.0	21.0	18.0	18.0	24.0	23.0	33.0	63.0	55.0	50.0	42.0	40.0	29.0	23.0	19.0	19.0	21.0			
	2.0 m	19.0	14.0	14.0	21.0	15.0	14.0	18.0	22.0	18.0	20.0	28.0	24.0	33.0	61.0	58.0	59.0	46.0	39.0	30.0	23.0	20.0	20.0	20.0	20.0		
	1.0 m	13.0	11.0	13.0	13.0	9.0	9.0	15.0	21.0	26.0	26.0	32.0	35.0	30.0	54.0	55.0	51.0	47.0	36.0	23.0	19.0	14.0	16.0	13.0	16.0		
	0.5 m	15.0	9.0	12.0	10.0	11.0	14.0	15.0	17.0	27.0	25.0	30.0	36.0	33.0	51.0	54.0	47.0	45.0	35.0	29.0	21.0	20.0	16.0	13.0	15.0		

* No monthly summary was computed for the ranges.

46.0 m	8.0	8.0	7.0	6.0	5.0	7.0	6.0	13.0	14.0	15.0	17.0	22.0	24.0	17.0	29.0	19.0	25.0	26.0	22.0	17.0	14.0	10.0	11.0	9.0
28.5 m	This level was not instrumented for relative humidity at this time																							
26.5 m	6.0	7.0	6.0	5.0	4.0	6.0	5.0	12.0	10.0	16.0	17.0	20.0	29.0	21.0	33.0	24.0	26.0	30.0	24.0	15.0	11.0	8.0	7.0	6.0
13.5 m	6.0	6.0	6.0	4.0	4.0	6.0	6.0	12.0	12.0	20.0	21.0	23.0	30.0	23.0	34.0	27.0	27.0	31.0	24.0	11.0	9.0	7.0	11.0	6.0
8.0 m	This level was not instrumented for relative humidity at this time																							
4.0 m	17.0	18.0	21.0	21.0	24.0	25.0	23.0	20.0	13.0	16.0	22.0	21.0	28.0	28.0	25.0	30.0	26.0	27.0	22.0	13.0	12.0	14.0	16.0	18.0
2.0 m	18.0	19.0	21.0	21.0	20.0	24.0	25.0	25.0	13.0	14.0	19.0	22.0	23.0	26.0	22.0	26.0	23.0	26.0	17.0	11.0	11.0	16.0	17.0	18.0
1.0 m	5.0	4.0	5.0	8.0	7.0	7.0	9.0	15.0	15.0	16.0	17.0	22.0	30.0	23.0	36.0	29.0	24.0	27.0	21.0	12.0	10.0	8.0	6.0	5.0
0.5 m	11.0	12.0	11.0	15.0	15.0	20.0	17.0	17.0	13.0	19.0	22.0	27.0	29.0	27.0	30.0	27.0	25.0	24.0	16.0	12.0	15.0	12.0	14.0	13.0

SUMMARY OF METEOROLOGICAL OBSERVATIONS

HOURLY DATA

MARCH 1967

Exposure	Monthly Means ² of other Elements by Hour																								Monthly Summary					
	Site	Code ¹	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	No. of Obs.	Min.	Mean	Max.
Albrook (Forest site)	WB	(4.0 m)	70.1	69.9	69.7	69.5	69.4	69.3	69.9	72.2	72.9	73.4	73.6	73.6	74.0	73.5	73.9	73.5	72.7	72.0	71.3	71.0	70.8	70.6	70.4	70.2	744	65.3	71.6	77.9
	WB	(2.0 m)	70.1	69.9	69.7	69.5	69.4	69.3	69.8	72.2	73.0	73.6	73.7	73.6	74.0	73.7	74.0	73.7	73.0	72.3	71.5	71.1	70.9	70.7	70.5	70.2	744	65.3	71.6	77.5
	WB	(0.5 m)	70.5	70.4	70.2	70.0	69.9	69.8	69.8	71.6	73.2	73.9	74.1	74.2	74.3	74.1	74.1	74.1	73.6	72.9	72.0	71.6	71.3	71.1	70.9	70.6	744	66.1	72.0	77.1
	BP		.786	.770	.757	.751	.753	.761	.780	.797	.810	.814	.810	.786	.760	.736	.713	.709	.708	.718	.740	.760	.780	.794	.802	.800	744	.615	.766	.930
	P1		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.80	0.35	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	732	0.03	0.50	0.80
	P2		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.35	0.75	0.13	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	744	0.13	0.41	0.75
	P3		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.43	0.86	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	744	0.01	0.43	0.85
	P4		0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.45	0.75	0.07	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	744	0.01	0.32	0.75

Note: Total (Mean) for P1 includes 6-hourly readings which are not included in hourly means.

Chive Chiva (Open site)	WB (4.0 m)	70.2	70.0	70.0	69.6	69.5	69.2	70.1	72.2	72.7	72.7	72.8	73.2	73.2	73.0	73.2	72.5	72.2	71.5	71.0	71.0	70.8	70.6	70.7	70.3	744	65.2	71.3	77.4
	WB (2.0 m)	70.1	69.9	69.8	69.5	69.5	69.0	70.2	72.3	73.0	73.1	73.3	73.4	73.8	73.6	73.6	72.1	72.7	71.9	71.2	71.2	70.9	70.7	70.6	70.3	744	65.4	71.5	77.1
	WB (0.5 m)	69.9	69.6	69.5	69.1	69.0	68.6	70.0	73.0	74.1	74.6	74.9	74.6	74.6	74.3	74.1	73.6	72.9	71.9	71.0	71.0	70.8	70.6	70.3	70.1	744	64.7	71.7	77.9
	BP	.881	.864	.850	.845	.848	.860	.877	.894	.908	.913	.906	.884	.858	.832	.811	.805	.810	.825	.844	.861	.882	.883	.898	.896	743	.095	.858	.995
	P5	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	744	0.00	0.00	0.00

WB - Wet bulb temperature (°F)
BP - Barometric pressure (in. of Hg minus 29.0)

² Monthly means of precipitation are computed for precipitation days. Precipitation totals are substituted for the mean in the monthly summary.

P5 - Precipitation at 1.0 m in open area (in.)
P1 - Precipitation at 46.0 m above canopy (in.)
P2 - Precipitation under full canopy (in.)

P3 - Precipitation under drip canopy (in.)
P4 - Precipitation under open canopy (in.)

SUMMARY OF METEOROLOGICAL OBSERVATIONS

HOURLY DATA

MARCH 1957

Exposure	Site Code	Monthly Ranges ² of other Elements by Hour																								Monthly Summary
		01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	
Albrook (Forest site)	WB (4.0 m)	5.9	5.8	5.3	7.1	6.8	6.7	6.2	4.1	4.3	4.9	6.7	6.3	7.5	8.1	9.4	7.7	8.0	6.3	5.5	5.3	4.8	5.7	5.8	6.6	
	WB (2.0 m)	5.9	6.0	6.5	7.2	6.8	6.5	6.3	4.0	5.1	5.1	6.6	5.9	8.1	7.8	7.5	6.5	7.8	6.0	5.5	5.2	4.8	5.3	5.9	6.9	
	WB (0.5 m)	6.0	5.8	5.5	6.4	6.8	6.8	6.4	3.9	5.7	4.5	4.9	4.9	5.0	5.7	6.9	7.1	6.3	5.6	5.5	5.1	5.1	4.8	5.5	5.8	
	RP	.170	.170	.175	.180	.180	.185	.190	.190	.180	.185	.185	.195	.195	.215	.210	.210	.210	.200	.200	.190	.175	.170	.165	.170	
	P1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
Chiva Chiva (Open site)	P2	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	P3	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	P4	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
	WB (4.0 m)	5.9	6.5	5.2	5.1	5.4	7.3	7.0	4.0	3.6	4.7	5.4	6.3	7.2	8.4	7.4	6.7	6.3	5.4	4.1	3.6	3.6	4.1	4.6	5.7	
Chiva Chiva (Open site)	WB (2.0 m)	5.5	5.9	4.9	5.2	5.2	7.0	5.7	3.8	3.8	4.4	5.3	5.9	6.8	7.2	8.3	6.4	5.5	5.1	3.3	3.3	3.3	4.2	4.6	5.4	
	WB (0.5 m)	6.0	6.2	5.7	5.1	6.3	7.3	6.1	3.7	3.3	4.0	4.4	6.8	4.8	7.2	5.9	6.0	5.3	4.7	4.0	4.0	3.5	3.5	5.0	5.3	
	RP	.170	.165	.170	.170	.175	.185	.185	.180	.180	.180	.185	.200	.205	.200	.200	.205	.200	.190	.195	.180	.180	.170	.165	.170	
	PS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	

* No monthly summary was computed for the ranges.

WB - Wet bulb temperature (°F)
RP - Barometric pressure (in. of Hg minus 29.0)

P1 - Precipitation at 1.0 m in open area (in.)
P2 - Precipitation at 46.0 m above canopy (in.)
P3 - Precipitation under drip canopy (in.)
P4 - Precipitation under open canopy (in.)

² Monthly ranges of precipitation are computed for precipitation days.

MARCH 1957

14[illegible]

SUMMARY OF METEOROLOGICAL OBSERVATIONS

HOURLY DATA

MARCH 1967

Exposure	Monthly Ranges of Wind Speed by Hour (miles/hr.)																								Monthly Summary *			
	Site	Level	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22		23	24	
Albrook (Forest site)	45.0 m		11.0	5.0	7.0	6.0	8.0	10.0	9.0	12.0	12.0	13.0	10.0	13.0	15.0	14.0	17.0	15.0	16.0	12.0	8.0	7.0	9.0	8.0	8.0	6.0		
	28.5 m									This level was not instrumented for wind speed at this time																		
	26.5 m		6.0	6.0	5.0	5.0	6.0	6.0	5.0	6.0	6.0	7.0	7.0	9.0	8.0	9.0	10.0	11.0	10.0	10.0	5.0	5.0	6.0	5.0	7.0	5.0		
	13.5 m									This level was not instrumented for wind speed at this time																		
	8.0 m									This level was not instrumented for wind speed at this time																		
	4.0 m		2.0	2.0	1.0	1.0	2.0	3.0	2.0	1.0	2.0	3.0	3.0	5.0	3.0	4.0	3.0	2.0	3.0	2.0	1.0	1.0	2.0	1.0	2.0	2.0		
	2.0 m									This level was not instrumented for wind speed at this time																		
1.0 m									This level was not instrumented for wind speed at this time																			
0.5 m									This level was not instrumented for wind speed at this time																			

* No monthly summary was computed for the ranges.

45.0m	9.0	13.0	11.0	14.0	13.0	15.0	14.0	13.0	13.0	13.0	16.0	14.0	12.0	14.0	18.0	20.0	14.0	15.0	14.0	12.0	10.0	10.0	11.0	8.0	13.0
35.5m	This level was not instrumented for wind speed at this time																								
26.5m	7.0	9.0	8.0	12.0	11.0	13.0	14.0	12.0	13.0	14.0	13.0	12.0	12.0	12.0	18.0	13.0	15.0	13.0	12.0	8.0	7.0	9.0	7.0	11.0	
13.5m	10.0	10.0	8.0	10.0	10.0	12.0	12.0	12.0	13.0	18.0	23.0	15.0	25.0	25.0	20.0	31.0	21.0	25.0	15.0	13.0	9.0	11.0	10.0	8.0	11.0
8.0m	This level was not instrumented for wind speed at this time																								
4.0m	5.0	8.0	7.0	7.0	6.0	9.0	12.0	11.0	10.0	11.0	12.0	12.0	13.0	15.0	16.0	10.0	11.0	9.0	5.0	7.0	7.0	5.0	7.0		
2.0m	5.0	5.0	4.0	5.0	5.0	8.0	5.0	5.0	9.0	11.0	11.0	13.0	13.0	13.0	15.0	15.0	13.0	17.0	12.0	8.0	6.0	6.0	7.0	6.0	
1.0m	This level was not instrumented for wind speed at this time																								
0.5m	This level was not instrumented for wind speed at this time																								

Chilva Crivo (Open site)

ALBROOK (Forest site) MARCH 1967

Relative Frequencies * of Wind Directions by Hour at 46.0 m

Dir.	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
N			3.3			6.6		6.6	16.1	9.7	25.8	12.9	16.1	16.5	20.6	23.3	13.3	16.1	10.0		6.6	3.3	5.3	
NNE										3.2	3.2	6.4	9.7		13.3	5.6		3.2						
NE								3.3		6.4	3.2		3.2			6.6	6.6							
ENE										6.4	3.2	3.2			3.3									
E									3.2			3.2		3.3	3.3	3.3								
ESE			3.3											3.3		5.6								
SE										3.2	6.4		6.4	10.0										
SSE											3.2	3.2	6.4	3.3	3.3									
S											3.2	9.7	6.4	3.3	3.3						3.3			
SSW									3.2															
SW	3.3			3.3				3.3				3.2			6.6									
WSW	10.0	5.6	10.0	3.3	13.3	6.6	10.0	6.6	3.2		3.2	3.2	3.2	6.6	3.3	6.6		6.4		3.3	3.3	3.3		3.3
W	49.8	59.8	36.6	66.4	59.8	59.8	56.4	52.1	16.1	9.7	6.4	5.4	3.2	3.3	3.3	6.6	13.3	5.7	23.3	29.9	33.2	46.6	53.1	49.8
WNW	20.0	13.3	20.0	13.3	16.5	10.0	20.0	6.6	16.1	9.7	16.1	6.4	19.4	3.3	6.6	10.3	3.3	5.4	23.3	13.3	29.9	23.3	23.3	15.6
NW	13.3	13.3	26.6	6.6	10.0	10.0	3.2	13.3	25.8	22.6	19.4	19.4	16.1	5.6	23.3	20.0	16.6	29.0	23.3	39.9	10.0	23.3	10.0	23.3
NNW	3.3	5.6		6.6		3.3	3.2	3.3	16.1	29.0	6.4	22.6	9.7	25.6	10.0	10.0	43.2	25.8	20.0	13.3	10.0		10.0	5.6
CALM						3.3	5.6	3.3									3.3	3.2			3.3			

* Note: Due to rounding, percentage totals may not equal 100%.

ALBROOK (Forest site) MARCH 1967

		Relative Frequencies * of Wind Directions by Hour at 26.5 m (%)																							
Dir	Rel	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
N		6.6					10.0	3.3	13.3	12.9	25.8	12.9	12.9	6.4	15.6	15.6	26.6	32.2	29.0	29.0	29.9	10.6	3.3		3.3
NNE		3.3		6.6		3.3		3.3	3.3	9.7	12.9	12.9	6.4	9.7	3.3	3.3	23.3	10.0	3.2	5.6					
NE							3.3		3.3	3.2	3.2	6.4	12.9	6.1	15.6	20.0	15.6	6.6	9.7						3.3
ENE							3.3		3.3	3.2	6.4	3.2	9.7	6.4	6.6	3.3	3.3		3.2					3.3	
E										9.7	9.7	6.4		3.2		3.3	3.3		6.4		3.3	5.3			
ESE									3.3	6.4		3.2	3.2	6.4	6.6	3.3		6.6							
SE											3.2	3.2	3.2	6.4	10.0			6.6							
SSE										3.2	3.2		3.2		3.3		3.3								
S										3.2		9.7	3.2	6.4		10.0									
SSW												3.2			6.6	6.6	3.3								
SW					3.3								3.2	3.2		3.3							3.3		
WSW						3.3					3.2														
W		3.3	12.3	3.3	6.6		10.0	6.6	3.3		3.2				3.3			6.6	5.4	10.0					
WNW		13.3	5.6	20.0	13.3	13.3	10.0	10.0	16.6	12.9	3.2	12.9		6.4	13.3		6.6	6.6	9.7	6.6	6.6	3.3	6.6	13.3	20.0
NW		39.9	46.6	33.2	43.2	63.1	33.2	36.6	33.2	19.4	9.7	16.1	16.1	12.9	3.3	10.0	10.0	6.6	9.7	20.0	20.0	33.2	36.6	33.2	26.6
NNW		26.6	20.0	20.0	23.3	13.3	13.3	29.9	13.3	16.1	16.1	9.7	25.8	12.9	10.0	16.6	6.6	10.0	15.1	29.0	26.6	33.2	29.9	23.3	26.6
CALM		6.6	13.3	16.6	10.0	6.6	13.3	10.0	5.6					3.2		3.3	5.6	5.6	6.4	6.6	13.3	16.6	16.6	6.6	16.6

* Note: Due to rounding, percentage totals do not equal 100%.

ALBROOK (Forest site) MARCH 1967

		Relative Frequencies * of Wind Directions by Hour at 4.0 m (%)																							
Hr.	Dir.	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
N		6.6	6.6	3.3	6.6	3.3	6.6	6.6		9.7	16.1	6.4	12.9	12.9	3.3	10.0		13.3	9.7	10.0		6.6	6.6		3.3
NNE			3.3					3.3	3.3	3.2	3.2	3.2	3.2	3.2	10.0	3.3	3.4	3.3	6.4		6.6			3.3	
NE								3.3	6.6					3.2	6.6	13.3		20.0	16.1					3.3	3.3
ENE											3.2	12.9	3.2	6.4	6.6	3.3	10.3								3.3
E									6.6	6.4	9.7	6.4	6.4	6.4	10.0	6.6	13.7	6.6	9.7		3.3				
ESE											3.2	9.7	3.2	6.4	6.6	3.3		6.6							
SE										3.2	6.4		22.6		3.3		10.3	3.3							
SSE										3.2	6.4		3.2		3.3	3.3			3.2						
S												16.1	9.7	16.1	16.6	20.0	13.7	6.6	6.4	3.3	3.3				
SSW	3.3	3.3									3.2	6.4	3.2	3.2	3.3							3.3			
SW		3.3	6.6			3.3	3.3		3.3		3.2	9.7	12.9			3.3	3.4					3.3		3.3	
WSW			3.3		3.3									9.7	6.6		3.4	3.3	3.2	13.3					
W	3.3	6.6		3.3	6.6	6.6	6.6	6.6	6.6	9.7	9.7	6.4		3.2	3.3	6.6	3.4		9.7	10.0	10.0	6.6	6.6	6.6	20.0
WNW	16.6	6.6	20.0	16.6	6.6	10.0	10.0	10.0	3.3	6.4		6.4	6.4	6.4	6.6	3.3	10.3	16.6	3.2	6.6	3.3	6.6	6.6	6.6	13.3
NW	20.0		10.0	20.0	33.2	6.6	6.6	6.6	10.0	9.7	12.9	9.7	12.9	9.7	3.3	13.3			3.2	3.3	3.3	16.6	10.0	16.6	13.3
NNW	3.3	10.0	6.6	3.3	3.3	13.3	3.3								3.3		3.4				3.3	3.3	6.6	10.0	6.6
CALM	46.6	56.4	53.1	46.6	39.9	43.2	53.1	43.2	12.9					12.9	6.6	10.0	24.0	20.0	29.0	53.1	66.4	53.1	63.1	49.8	36.6

* Note: Due to rounding, percentage totals do not equal 100%.

CHIVA CHIVA (Open site) MARCH 1967

		Relative Frequencies * of Wind Directions by Hour at 46.0 m (%)																							
Dir.	Hr.	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
N		3.2	9.7		3.2	6.4	19.4	9.7	9.7	25.8	32.2	16.1	19.4	38.7	32.2	29.0	25.8	22.6	35.5	22.6	12.9	6.4	12.9	9.7	3.2
NNE		3.2			3.2		3.2			9.7	3.2	6.4	9.7	3.2	6.4	6.4	3.2	3.2	3.2						
NE																									
ENE										3.2	3.2														
E												3.2			3.2										3.2
ESE														6.4											
SE							3.2					3.2	3.2		3.2	3.2									
SSE													3.2									3.2			
S																3.2	3.2								
SSW					3.2																				
SW																									
WSW																									
W		3.2			6.4		3.2						3.2		3.2	3.2	3.2	3.2							3.2
WNW		6.4	3.2	6.4			9.7	3.2	6.4	3.2		3.2		9.7	6.4	9.7		6.4			3.2	3.2			
NW		51.6	54.8	58.1	64.5	67.7	32.2	67.7	51.6	29.0	35.5	32.2	25.8	32.2	16.1	32.9	32.2	16.1	19.4	22.6	32.2	45.2	51.6	51.6	64.5
NNW		32.2	32.2	35.5	19.4	22.6	29.0	19.4	32.2	29.0	25.8	35.5	35.5	9.7	29.0	32.2	32.2	48.4	41.9	54.8	51.6	45.2	32.2	38.7	25.8
CALM						3.2																			

* Note: Due to rounding, percentage totals do not equal 100%.

CHIVA CHIVA (Open site) MARCH 1957

Relative Frequencies * of Wind Directions by Hour at 26.5 m (%)																								
Dir.	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
N	51.6	64.5	54.8	54.8	41.9	41.9	35.5	48.4	49.8	38.7	45.2	32.2	32.2	12.9	22.6	45.2	41.9	35.5	48.4	38.7	67.7	51.6	56.4	61.3
NNE	9.7	3.2	6.4	6.4	6.4	12.9	9.7	3.2	16.6	16.1	16.1	25.8	9.7	38.7	35.5	9.7	32.2	29.0	29.0	22.6	12.9	16.4	13.3	9.7
NE					3.2		3.2	9.7	10.0	22.6	16.1	16.1	29.0	16.1	6.4	12.9	9.7	16.1	3.2	3.2		3.2		
ENE		3.2				3.2			3.3				3.2	3.2	3.2	6.4	3.2	3.2						
E					3.2	3.2			3.3			3.2							3.2					3.2
ESE						3.2				3.2			3.2											
SE						3.2		3.2			6.4			3.2	3.2									
SSE												6.4		3.2										
S													3.2			3.2								
SSW															3.2									
SW						3.2																		
WSW																				3.2		3.2		
W			3.2	3.2	3.2		3.2									3.2								
WNW	3.2	3.2	6.4		3.2		3.2	3.2				3.2		3.2			3.2							3.2
NW	9.7	6.4	9.7	9.7	6.4	6.4	16.1	12.9	3.3		3.2		3.2	12.9	19.4	3.2	3.2			3.2	9.7	9.7	3.3	6.4
NNW	25.8	19.6	19.6	25.8	32.2	22.6	29.0	19.4	13.3	19.4	12.9	12.9	16.1	6.4	6.4	16.1	6.4	16.1	16.1	29.0	9.7	16.1	26.6	16.1
CALM																								

* Note: Due to rounding, percentage totals do not equal 100%.

CHIVA CHIVA (Open site) MARCH 1967

		Relative Frequencies * of Wind Directions by Hour at 4.0 m (%)																							
Dir.	HL	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
N		3.2	6.4	12.9	3.2	9.7	16.1	12.9	3.2	29.0	22.6	29.0	22.6	32.2	32.2	19.4	12.9	32.2	19.4	35.5	19.4	3.2	6.4	9.7	6.4
NNE		6.4	9.7		6.4	6.4	12.9	6.4	6.4	6.4	3.2	3.2	3.2	12.9	12.9	6.4	12.9	6.4	3.2	3.2		6.4		3.2	
NE							9.7	3.2		3.2		3.2							6.4				3.2		3.2
ENE						3.2	3.2																		
E						3.2	6.4			3.2						3.2								3.2	
ESE												3.2		3.2	3.2										
SE						3.2								3.2		3.2							3.2		
SSE								3.2				3.2	6.4		3.2										
S																3.2	3.2								
SSW								3.2																	
SW			3.2																						
WSW			3.2	3.2	3.2	3.2		6.4																	
W		6.4	9.7	6.4	3.2	6.4		6.4	3.2				3.2		3.2			6.4				3.2			
WNW		16.1	3.2	9.7	12.9	12.9	3.2	9.7	19.4	6.4		3.2	6.4	6.4	6.4	16.1	6.4	3.2			6.4				
NW		58.1	45.2	45.2	58.1	41.9	32.2	25.8	51.6	29.0	32.2	25.8	22.6	22.6	9.7	16.1	35.5	19.4	16.1	6.4	38.7	51.6	51.6	58.1	64.5
NNW		9.7	19.4	22.6	12.9	9.7	16.1	19.4	16.1	25.8	35.5	29.0	35.5	19.4	29.0	29.0	29.0	22.2	54.8	54.8	35.5	35.5	25.8	16.1	3.2
CALM								3.2																	

* Note: Due to rounding, percentage totals do not equal 100%.

SUMMARY OF NON HOURLY DATA

MARCH 1967

Summary of Elements with Non-hourly Frequencies of Observation						
Site	Element, Units and Exposure	Description	Number of Obs.	Minimum Value	Mean or Total Value	Maximum Value
Albrook (Forest site)	WBGT Index ¹ (at 1.5 meters)	Index value	434	65.6	76.0	83.2
		Dry bulb temp.	434	66.3	80.8	91.0
		Wet bulb temp.	434	65.4	73.5	81.0
		Black bulb temp.	434	66.6	82.2	95.5
	Evaporation ³ (in. at 4 levels)	Piche (46.0 m)	31	0.451	22.869*	0.970
		Piche (26.5 m)	31	0.281	14.324*	0.580
		Piche (13.5 m)	31	0.110	7.433*	0.311
		Piche (0.5 m)	31	0.061	5.857*	0.281
	Precipitation from Raingauge Network ² (in. at 1.0 meters)	Gauge # 1	1	1.42	1.42*	1.42
		Gauge # 2	1	1.39	1.39*	1.39
		Gauge # 3	2	0.02	1.68*	1.66
		Gauge # 4	2	0.01	1.63*	1.62
		Gauge # 5	2	0.01	1.48*	1.47
		Gauge # 6	2	0.01	1.84*	1.83
		Gauge # 7	2	0.02	1.46*	1.44
		Gauge # 8	1	1.56	1.56*	1.56
	Stem Flow ² (in. at 2.0 meters)	Small tree	1	36.62	36.62*	36.62
		Medium tree	1	3.80	3.80*	3.80
		Large tree	1	2.18	2.18*	2.18
Chiva Chiva (Open site)	WBGT Index ¹ (at 1.5 meters)	Index value	434	63.8	78.8	88.5
		Dry bulb temp.	434	64.0	84.0	95.5
		Wet bulb temp.	434	64.0	73.7	78.0
		Black bulb temp.	434	63.0	94.0	115.0
	Evaporation ³ (in. at 0.5 meters)	Piche	31	0.390	19.010*	0.769
		Pan	31	0.048	8.591*	0.363
	Minimum Grass temp ³ (°F at grass tips)	None	26	DTF.	65.5	71.5

1 - Hourly observations between 0600 and 1900 hours inclusive

2 - Six hourly observations

3 - Daily observations

Note: DTF. indicates data of doubtful validity.

* Total Values

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)

US Army Tropic Test Center
Fort Clayton, Canal Zone

2a. REPORT SECURITY CLASSIFICATION

UNCLASSIFIED

2b. GROUP

3. REPORT TITLE

Monthly Microclimatic Summary, March 1967: Environmental Data Base for Regional
Studies in the Humid Tropics

4. DESCRIPTIVE NOTES (Type of report and inclusive dates)

Data Summary, March 1967

5. AUTHOR(S) (First name, middle initial, last name)

6. REPORT DATE

August 1967

7a. TOTAL NO. OF PAGES

28

7b. NO. OF REFS.

8a. CONTRACT OR GRANT NO.

8b. ORIGINATOR'S REPORT NUMBER(S)

a. PROJECT NO. 2M025001A724-01

c. USATECOM No. 9-4-0013-01

d. Work Unit: USATTC #001

8c. OTHER REPORT NO(S) (Any other numbers that may be assigned
this report)

10. DISTRIBUTION STATEMENT

Distribution of this document is unlimited

11. SUPPLEMENTARY NOTES

12. SPONSORING MILITARY ACTIVITY

Advanced Research Projects Agency
Army Research Projects Office, OCRD

13. ABSTRACT

This report contains detailed microclimatic data for March 1967 from specific sites in the Panama Canal Zone and vicinity. The data are presented in tabular form, summarized for hourly and/or daily observations from surface to 46-meter levels. Elements listed are: temperature, pressure, precipitation, wind speed and direction, relative humidity, and evaporation.

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS
OBSOLETE FOR ARMY USE.

Security Classification

UNCLASSIFIED

Security Classification

12. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Climate Microclimatology Tropic Environment Humid Tropics Panama Canal Zone Microclimatology Data Base						

12-2345

UNCLASSIFIED

Security Classification